

COOLING BETA **BETA PLUS**

טמפרטורת הפעלה: -22/-24
גז: R404A/507
דלתות עם גופי חימום
4 מדפים + סלסלות
פס מחיר לכל מדף
תאורת LED דגפ פיליפס
שעון תצוגת טמפרטורה
בקר שליטה ELIWELL 985
מגן נירוסטה



BETA PLUS

3L1




mm	2			3			4			5			C		
	1564			2343			3124			3905			C		
	TDA	Vol	Suf	TDA	Vol	Suf	TDA	Vol	Suf	TDA	Vol	Suf	TDA	Vol	Suf
	m ²	l	m ²	m ²	l	m ²	m ²	l	m ²	m ²	l	m ²	m ²	l	m ²
EDLCU5	2,12	1172	3,98	3,2	1758	5,97	4,28	2343	7,96	5,38	2929	9,95	3,59	1224	4,18
EDMCU5	2,23	1219	4,76	3,36	1828	7,14	4,5	2437	9,52	5,65	3046	11,9	3,76	1273	5
EDHCU5	2,32	1266	4,76	3,51	1898	7,14	4,7	2531	9,52	5,9	3164	11,9	3,94	1338	5
EDLNU5	2,13	1438	4,78	3,22	2156	7,17	4,31	2875	9,56	5,41	3593	11,95	4,22	1667	5,6
EDMNU5	2,23	1500	5,72	3,37	2250	8,58	4,51	3000	11,44	5,65	3749	14,3	4,41	1740	6,7
EDHNU5	2,34	1578	5,72	3,53	2367	8,58	4,72	3156	11,44	5,93	3945	14,3	4,61	1831	6,7

TDA = Área Total de Exposición / Total Display Area / Zone d'affichage totale / Gesamtausstellungsfläche • Vol = Volumen neto / Net volume / Volume net / Nettovolumen • Suf = Superficie de exposición / Exhibition surface / Surface d'exposition / Ausstellungsfläche.

Best energy class model. More in formation at EPREL or contact our Sales Department.




SECCIONES / SECTIONS / SECTIONS / SCHNITTE





ADS AIR DISTRIBUTION SYSTEM

EVAPORATOR



MONOBLOCK





Harotem13, Bar Lev

office@pmcooling.com |

0503383051

WWW.PMCOOLING.COM

WWW.COOLING.CO.IL

